

# BODY SHAMPOO

## Car Wash Foaming Soaps

### Foam Magic

**Description:** ●●●●

(F1251-Blue (blueberry scent), F1252-Pink (strawberry scent), F1253-White (vanilla scent), F1254-Yellow (banana scent)) A visually exciting neutral foaming detergent which can be used in multiple applications in both self-serve, in-bay automatic, and conveyerized washes. This product will produce rich foam levels, a pleasant scent, vibrant color and can be used anywhere you wish to deliver foam. Its neutral detergency make it perfect for triple or single foamers anywhere in the wash process. Available in Yellow-Banana scent, Blue-Blueberry scent, Pink-Strawberry scent and White-Vanilla scent.

**Where To Use:**

- Automatic Conveyor - Foamers.
- In-Bay Automatic - Foamers.
- Self-Serve - Foam Brush or Foamer.
- Touch-free In-Bay Automatic.

**Dilution:**

Foamers - Apply to vehicle at a final dilution rate of 100-300 parts water/1 part product.



### Green Scene Lubricating Soap

**Description:** ●

(F1254) Lubricating soap, low pH brush and pad detergent. Excellent lubricity and foam combined with cleaning and free-rinsing.

**Dilution:**

Apply through foamer or cloth at a final dilution of 80-120 parts water/1 part product.

**Where To Use:**

- Automatic Conveyor, In-Bay Automatic.

### Lemon Drops

**Description:** ●

(L2030) A high foaming, lemon scented, liquid neutral detergent designed to be used with cloth or bristle. This viscous product will provide tremendous lubricity and high foam levels. May be applied through a foamer or directly to cloth or bristle.

**Where To Use:**

Automatic Conveyor - Apply through foamer or feed to cloth (mitters, wrap-arounds, side brushes).  
Hand Wash - Apply at mittng area.  
In-Bay Automatic - Apply through detergent cycle.  
Self-Serve - Apply through foam brush.

.....

### Magic Lustre

**Description:** ●

(F1171-Melon, F1174-Citrus, F1177-Summer Breeze) A high foaming, low pH liquid detergent formulated for use in a friction car wash. Magic Lustre's excellent cleaning ability, low pH characteristic and free-rinsing ability will produce a noticeably cleaner and shinier vehicle and also enhance drying agent performance.

**Where To Use:**

Automatic Conveyor - Apply through foamer and feed to

.....

### Magic Lustre NC

**Description:** ●

(F1173) A high foaming, non-corrosive low pH liquid detergent formulated for use in a friction car wash. This product is citric acid-based with butyl solvent added for enhanced cleaning ability. Magic Lustre NC's excellent cleaning ability will produce a noticeably cleaner and shinier vehicle and also enhance drying agent performance. It is non-corrosive characteristic's makes this more gentle on wash equipment and safer for employees.

**Where To Use:**

Automatic Conveyor - Apply through foamer and feed to

.....

### Prime Pak Foam Brite

**Description:** ●

(P3040) High foaming long lasting "show foam" with excellent cleaning and lubricity for IBA friction systems. Summer Breeze-scented.

**Where To Use:**

Automatic Conveyor - Apply through foamer.

**Dilution:**

Apply to vehicle at a final dilution rate of 100-200 parts water/1 part product.



cloth (mitters, wrap-arounds, side brushes).  
In-Bay Automatic - Apply through detergent cycle.

**Dilution:**

Foamer - Apply to vehicle at a final dilution rate of 150-200 parts water/1 part product.

In-Bay Automatic - Apply to vehicle at a final dilution rate of 150-225 parts water/1 part product.

.....

cloth (mitters, wrap-arounds, side brushes).  
In-Bay Automatic - Apply through detergent cycle.

**Dilution:**

Foamer - Apply to vehicle at a final dilution rate of 150-200 parts water/1 part product.

In-Bay Automatic - Apply to vehicle at a final dilution rate of 150-200 parts water/1 part product.

.....

**Dilution:**

Apply to vehicle at a final dilution rate of 256 parts water/1 part product.

# BODY SHAMPOO

## Car Wash Foaming Soaps

### Super Foam

**Description:**

(S3530) An ammoniated, high foaming liquid neutral detergent designed to be used with cloth or bristle. This viscous product will provide lubricity and high foam levels. May be applied through a foamer or directly to cloth or bristle.

**Where To Use:**

Automatic Conveyor - Apply through foamer or feed to cloth (mitter, wrap-arounds, side brushes).

Hand Wash - Apply at mitting area.

In-Bay Automatic - Apply through detergent cycle.

**Dilution:**

Foamer, Cloth and Hand Wash - Apply to vehicle at a final dilution rate of 100-150 parts water/1 part product.

In-Bay Automatic - Apply to vehicle at a final dilution rate of 100-200 parts water/1 part product.



### Super Kleen

**Description:**

(S3538) A unique citrus-scented alkaline high foaming liquid body shampoo that is designed to penetrate road film in friction wash applications. This product is a stronger cleaner and foamier than most alkaline detergents allowing the product to carry through friction cleaning material while maintaining its cleaning and lubricating ability.

**Where To Use:**

Automatic Conveyor - Apply through prep guns or pre-soak arch.

Self-Serve - Apply through high pressure gun on high pressure pre-soak function.

**Dilution:**

Prep Guns/Self-Serve - Apply to vehicle at a final dilution rate of 150-250 parts water/1 part product.

Presoak - Apply to vehicle at a final dilution rate of 125-200 parts water/1 part product.

# BODY SHAMPOO

## Car Wash Foaming Soaps

### Supreme

**Description:** ●

(S3630) A high foaming liquid, neutral detergent designed to be used with cloth. This viscous product will provide tremendous lubricity and high foam levels. May be applied through any foamer or nozzles directly onto cloth.

**Where To Use:**

Automatic Conveyor - Apply through foamer or feed to cloth (mitters, wrap-arounds, side brushes).

Hand Wash - Apply at mittling area.

In-Bay Automatic - Apply through detergent cycle.

**Dilution:**

Foamer, Cloth and Hand Wash - Apply to vehicle at a final dilution rate of 150-200 parts water/1 part product.

In-Bay Automatic - Apply to vehicle at a final dilution rate of 150-200 parts water/1 part product.

---

### Ultra

**Description:** ●

(U3930) A unique alkaline high foaming liquid body shampoo that is designed to penetrate road film in friction wash applications. This product is a stronger cleaner and foamer than most alkaline detergents allowing the product to carry through friction cleaning material while maintaining its cleaning and lubricating ability. Ability to rinse easily make this a great choice for applications where both cleaning and visual appeal are required.

**Where To Use:**

Automatic Conveyor - Apply through prep guns or pre-soak arch.

**Dilution:**

Prep Guns - Apply to vehicle at a final dilution rate of 150-250 parts water/1 part product.

Foaming Arch and shower head - Apply to vehicle at a final dilution rate of 100-250 parts water/1 part product.

---

### 3-50C Lubricating Soap

**Description:** ●

(C0750) This is a high foaming viscous low pH liquid detergent. This product will provide a high level of foam and lubricity for any foam or cloth applications. May be applied directly to car through Foam Sticks or applied through lubrication functions for friction.

**Where To Use:**

Automatic Conveyor Presoak Application.

**Dilution:**

Apply to vehicle at a final dilution rate of 256 parts water/1 part product.

