1 - PRODUCT IDENTIFICATION

PRODUCT NAME: Detailer's Choice

PRODUCT TYPE: Neutral Liquid Vehicle Dressing

CONTROL NUMBER:......D0872XXX

COMPANY:..... Simoniz USA, Inc.

201 Boston Turnpike Bolton, CT 06043 1-800-227-5536 www.simoniz.com

EMERGENCY PHONE:(800) 255-3924 (CHEM-TEL)

2 - HAZARDS IDENTIFICATION

CLASSIFICATION OF SUBSTANCE/MIXTURE:

Non-hazardous mixture per OSHA Hazard Communication Standard 29CFR 1910.1200.

3 - COMPOSITION / INFORMATION ON INGREDIENTS

INGREDIENT C.A.S. NUMBER
Water 7732-18-5
Polydimethylsiloxane 63148-62-9

If percentages, chemical names or C.A.S. numbers of ingredients are not listed/shown, they are being withheld as trade secret information, or are not required per OSHA Hazard Communication Standard 29CFR 1910.1200. This information will be disclosed as necessary to authorized individuals.

4 - FIRST-AID MEASURES

5 - FIRE-FIGHTING MEASURES

FLASHPOINT: This product is non-flammable.

EXTINGUISHING MEDIA: Use extinguishing media suitable for materials already burning. **SPECIAL FIRE FIGHTING PROCEDURES:**Firefighters working in areas where this

product is present should be equipped with an approved, fully

enclosed SCBA.

UNUSUAL FIRE AND EXPLOSION HAZARDS: None known.

6 - ACCIDENTAL RELEASE MEASURES

SPILL PROCEDURES:......Dike to prevent spillage into streams or sewer systems. Consult

local, state and federal authorities.

WASTE DISPOSAL:......As recommended by local, state and federal authorities.

7 - HANDLING and STORAGE

STORAGE: Store in a cool, well-ventilated area. Avoid overheating or

freezing. Do NOT store this product in an unmarked container.

transfer this product in an unmarked container. Spilled material is

slippery. Keep away from children!

8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

RESPIRATORY PROTECTION: Not usually needed. Vapors not normally harmful.

PROTECTIVE CLOTHING:...... Special protection not usually needed. Wear eye protection if

product is likely to splash.

ADDITIONAL MEASURES: Avoid eye contact. Keep away from children!

INGREDIENT C.A.S. NUMBER OSHA PEL*

Water 7732-18-5 No limits established Polydimethylsiloxane 63148-62-9 No limits established

*When OSHA 8-hour TWA; STEL; and Ceiling PEL values are not established, NIOSH REL; ACGIH TLV; and AIHA WEEL values will be shown in that order, and indicated as such.

9 - PHYSICAL / CHEMICAL PROPERTIES

APPEARANCE & ODOR:...... Blue opaque liquid, bubblegum scented.

BOILING POINT:210 degrees F.

BOILING POINT RANGE: N/A

FLASHPOINT: This product is non-flammable.

| EVAPORATION RATE: | | | |
|---|--|--|--|
| 10 – STABILITY and REACTIVITY | | | |
| STABILITY: | | | |
| 11 – TOXICOLOGICAL INFORMATION | | | |
| | | | |
| ROUTE(S) OF ENTRY:Absorption through eyes. Ingestion. Not likely to be inhaled or absorbed through skin in hazardous amounts. | | | |
| LISTED CARCINOGEN: None over 0.1%. | | | |
| MEDICAL CONDITION AGGRAVATED:None known. | | | |
| INHALATION: | | | |
| irritation to the respiratory tract. | | | |
| INGESTION: | | | |
| EYES:This product may cause mild irritation and redness if not | | | |
| immediately flushed from eyes. | | | |
| SKIN (DERMAL): This product may eventually cause irritation and redness to the | | | |
| exposed area after prolonged contact. | | | |
| ACUTE TOXICITY* (ORAL):>5,000 mg/kg | | | |
| ACUTE TOXICITY* (DERMAL):>5,000 mg/kg ACUTE TOXICITY* (INHALATION):>20,000 ppm V (Gas), >20 mg/l (Vapor), >5 | | | |

*Determined using the additivity formula for mixtures (GHS Purple Book, 3.1.3.6)

12 - ECOLOGICAL INFORMATION

ENVIRONMENTAL FATE AND DISTRIBUTION: N/A

13 - DISPOSAL CONSIDERATIONS

WASTE DISPOSAL:.....As recommended by local, state and federal authorities.

14 – TRANSPORTATION INFORMATION DOT: PROPER SHIPPING NAME:..... Not regulated for domestic shipments acc. DOT HMR. HAZARD CLASS:.... UN/NA NUMBER: PACKAGING GROUP: IMDG: PROPER SHIPPING NAME:..... Not regulated for international shipments acc. IMDG CODE. HAZARD CLASS:.... UN/NA NUMBER: PACKAGING GROUP: IATA: PROPER SHIPPING NAME:..... Not regulated for international shipments acc. IATA DGR. HAZARD CLASS:.... UN/NA NUMBER: PACKAGING GROUP: 15 - REGULATIONS

Contents of this SDS comply with OSHA Hazard Communication Standard 29CFR 1910.1200.

CALIFORNIA PROPOSITION 65: WARNING: This product can expose you to chemicals including Ethylene Oxide, which is known to the State of California to cause cancer, and birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov.

| INGREDIENT | C.A.S. NUMBER | Listed Date |
|----------------|---------------|--|
| Ethylene Oxide | 75-21-8 | 07/01/1987 (Cancer) |
| | | 08/07/2009 (Developmental & Male Reproductive Toxicity) |
| | | 02/27/1987 (Female Reproductive Toxicity) |

16 - OTHER INFORMATION

| NFPA HEALTH:NFPA FLAMMABILITY:NFPA REACTIVITY:NFPA OTHER: | 0 0 |
|---|---|
| ADDITIONAL: | The information contained in this SDS is based on the data available to us from sources we believe to be reliable. No warranty or quaranty expressed or implied is made regarding the |

accuracy of this data or the results obtained from the reliance on this data. The manufacturer assumes no responsibility for injury from the use of this product. Be safe—read this product safety information and pass it on to all persons who may be exposed to this product. Federal law requires it. This product and/or all of its components are either included on or exempt from the TSCA Inventory of Chemical Substances.

REVISION DATE: 03/22/2024